

**Amendments to the Claims**

Please amend the Claims as follows:

1-29. (Cancelled)

30. (Currently Amended) A container comprising:

a container body;

a closure capping the body, at least one of the closure and body having a through-going hole opening at inner and outer ends thereof into respective inner and outer surfaces of the at least one of the closure and body;

a hydrophobic air permeable membrane secured to the inner surface and closing the inner end of the hole; and

an air tight seal permanently bonded to the at least one of the closure and body, permanently closing the outer end of the hole.

31. (Previously Presented) The container of claim 30 wherein the air tight seal extends from the air permeable membrane within the hole and terminates flush with the outer surface of the at least one of the closure and body.

32. (Previously Presented) The container of claim 30 wherein hydrophobic air permeable membrane comprises polypropylene or expanded polytetrafluoro-ethylene.

33. (Original) The container of claim 30 wherein the membrane has pores sized from about 0.3 to 5 microns.

34. (Original) The container of claim 30 wherein the membrane has pores sized from about 0.4 to 2 microns.

35. (Original) The container of claim 30 wherein the membrane has pores sized from about 0.5 to 1.5 microns.

36. (Original) The container of claim 30 wherein the membrane has pores having an average of about 1.0 micron.

37. (Original) The container of claim 30 wherein the hole is sized between about 50 and 100 microns.

38. (Original) The container of claim 30 wherein the seal comprises a dryable coating.

39. (Previously Presented) The container of claim 38 wherein the dryable coating comprises a UV activated sealant.

40. (Previously Presented) The container of claim 38 wherein the dryable coating comprises a paint.

41. (Original) The container of claim 30 wherein the seal comprises a semi-transparent adhesive.

42. (Original) The container of claim 30 wherein the seal comprises an air tight membrane with a pressure-sensitive adhesive on one surface thereof.

43. (Original) The container of claim 30 wherein the seal comprises a composition which solidifies upon exposure to actinic radiation.

44-57. (Cancelled)

58. (Previously Presented) The container of claim 30, wherein the air tight seal extends atop the outer surface of the at least one of the closure and body and covers the outer end of the hole.

59. (Previously Presented) The container of claim 30, wherein the hole extends through the body and is spaced from the closure, the air tight seal being supported by the air permeable membrane and extending therefrom within the hole so as to terminate flush with the outer surface of the body.

60. (Previously Presented) A container comprising:  
a container body;

a closure capping the body, at least one of the closure and body having a through-going hole opening at inner and outer ends thereof into respective inner and outer surfaces of the at least one of the closure and body;

a hydrophobic air permeable membrane secured to the inner surface and closing the inner end of the hole; and

an air-impermeable sealing material irremovably contained within the hole to provide an air-tight seal over the air permeable membrane.

61. (Previously Presented) The container of claim 60 wherein the sealing material is essentially flush with the outer surface of the at least one of the closure and body.

62. (Previously Presented) The container of claim 60 wherein the sealing material extends from the air permeable membrane within the hole and terminates flush with the outer surface of the at least one of the closure and body.

63. (Currently Amended) A container comprising:

a body having an open mouth and a through-going hole opening at inner and outer ends thereof into respective inner and outer surfaces of the body;

a closure capping the body open mouth, wherein the hole is spaced from the closure;

a hydrophobic air permeable membrane secured to the inner surface and closing the inner end of the hole; and

an air tight seal closing the outer end of the hole.

64. (Previously Presented) The container of claim 63 wherein the air tight seal is supported by the air permeable membrane and extends therefrom within the hole so as to terminate flush with the outer surface of the body.

65. (Previously Presented) The container of claim 63, wherein the air tight seal extends atop the outer surface of the body and covers the outer end of the hole.

66. (Cancelled)

67. (Currently Amended) The container of claim ~~66~~ 69 wherein the sealing material is essentially flush with the outer surface of the body.

68. (Currently Amended) The container of claim ~~66~~ 69 wherein the sealing material is supported by the air permeable membrane and extends therefrom within the hole so as to terminate flush with the outer surface of the body.

69. (Previously Presented) A hot-fill container comprising:

a body having an open mouth and a through-going hole opening at inner and outer ends thereof into respective inner and outer surfaces of the body;

a closure capping the body;

a hydrophobic air permeable membrane secured to the inner surface and closing the inner end of the hole; and

an air-impermeable sealing material irremovably contained within the hole to provide an air-tight seal over the air permeable membrane.

70. (New) The container of claim 69, wherein the hole is spaced from the open mouth.

71. (New) The container of claim 60, wherein the air-impermeable sealing material is permanently bonded to the at least one of the closure and body.
72. (New) A container comprising:
- a container body;
  - a closure capping the body, at least one of the closure and body having a through-going hole opening at inner and outer ends thereof into respective inner and outer surfaces of the at least one of the closure and body;
  - a hydrophobic air permeable membrane secured to the inner surface and closing the inner end of the hole; and
  - an air tight seal permanently closing the outer end of the hole, wherein the seal comprises a dryable coating comprising a material selected from the group consisting of: a UV activated sealant and a paint.
73. (New) A container comprising:
- a container body;
  - a closure capping the body, at least one of the closure and body having a through-going hole opening at inner and outer ends thereof into respective inner and outer surfaces of the at least one of the closure and body;
  - a hydrophobic air permeable membrane secured to the inner surface and closing the inner end of the hole; and
  - an air tight seal permanently closing the outer end of the hole, the seal comprising an air tight membrane with a pressure-sensitive adhesive on one surface thereof.
74. (New) A container comprising:
- a container body;
  - a closure capping the body, the body having a through-going hole opening at inner and outer ends thereof into respective inner and outer surfaces of the body, the hole being spaced from the closure;
  - a hydrophobic air permeable membrane secured to the inner surface and closing the inner end of the hole; and
  - an air tight seal permanently closing the outer end of the hole, the air tight seal being supported by the air permeable membrane and extending therefrom within the hole so as to

terminate flush with the outer surface of the body.

75. (New) The container of claim 38, wherein the dryable coating completely covers the hole to close the outer end of the hole.

76. (New) The container of claim 41, wherein the semi-transparent adhesive completely covers the hole to close the outer end of the hole.

77. (New) The container of claim 43, wherein the composition completely covers the hole to close the outer end of the hole.